

WWW.GLOBAL-SALES.US
(813) 236-9077



**2025 INTERIOR DOOR
COLLECTION GUIDE**





For 40 years, Global Sales has been making construction projects in Bermuda and the Caribbean easier thanks to our convenient building supply services. Shipping building materials to this region is challenging, but our specialty is providing everything you need for your project, delivered together and on time. As your building supply company, Global Sales sources the best products, consolidates your shipment and ensures that all the paperwork is correct so your project is complete without any logistics headaches.

We are committed to exceptional customer service to always earn and keep your business. As a reputable building supply company, we deliver exceptional service with our customer-first approach. You are our business, and we will do everything possible to help you succeed.

Panel Doors Introduction	4	20-Minute Fire Rated Options	21
Primed Panel Doors	5-11	Standard Options	22
Primed Louver Doors	12	Availability Guide	23-25
Glazed Doors Introduction	13		
Primed Glazed Doors	14-15		
Primed Direct Glazed Doors	16		
Barn Doors	17		
Barn Doors Hardware	18-19		



Primed 8402BK

Get the beautiful interior doors you need at the right time and cost with our Interior stocking program. We carry many designs and sizes to meet the varying needs and tastes in our market.

Our ovolo bead door offers traditional styling while our shaker door has a clean cut contemporary look. Glazed versions are also available (see pg 16).



Ovolo Bead Raised 2-Panel: OV22

With raised panels and beautiful embossed stop, our ovolo bead panel door options have a comforting and timeless two panel design that compliment a wide range of aesthetics.

These come in 1-3/8" thickness.



Available in 6/8 & 8/0




Available in 6/8 & 8/0

See chart on page 23-24 for availability

Shaker 1-Panel: 8401

Sometimes, simple is best! This design will add clean, subtle details to your home's interior look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).




Shaker 2-Panel: 8402

Our new take on a classic design, we bring this timeless look with clean cut edges and flat panels.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 23-24 for availability

See chart on page 23-24 for availability

Shaker Craftsman
3-Panel: 8403

Keep the hand-worked touches flowing through the interior of your home with this design.


These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Shaker Equal
3-Panel: 8433

Our most subtle version of the contemporary multi-paneled look.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 23-24 for availability

See chart on page 23-24 for availability

Shaker 4-Panel: 8444

This sharp, trendy look is sure to impress!

These come in 1-3/8" and 1-3/4" thickness (1-3/4" in 20-minute fire rated only).



Shaker 5-Panel: 8405

Five stacked panels offer a high-end modern feel.

These come in 1-3/8" and 1-3/4" thickness and have 20-minute fire rated options as well (fire rating in 1-3/4" door only).



Available in 6/8 & 8/0



Available in 6/8 & 8/0



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 23-24 for availability

See chart on page 23-24 for availability

Louver 2-Panel: 8730

Global Sales primed louver doors and bifolds increase ventilation and promote air flow.

Our 3-1/4" solid wood louver slats allow for increased privacy while maintaining all of the conventional benefits of a venting louver.

These come in 1-3/8" thickness only.



Available in 6/8, 7/0 & 8/0



Available in 6/8 & 8/0

See chart on page 24 for availability



3'0" x 6'8" 1310 Primed French Door With Clear 10-Lite Glass

Our versatile selection of glass door options complement any style.

Both the 1300 and 1501 standard glazed series use traditional ovolo beading. The 1300 series uses that beading with woodbars to present an external grid look, while the 1501 series focuses on the full one lite designs.

The 8601 standard glazed series also focuses on the full one lite designs, but it uses the more contemporary quirk beading.


The 8400 direct glazed series offers a few of our shaker looks with either clear or diffused white lami glass.

PRIVACY GUIDE

Global Sales offers an extensive line of glass options to choose from and the degree of opacity varies considerably. With each design, we have included a number which represents the "Privacy Level" for that product. Please refer to the guide below. **Note:** This guide is subjective. It should only be used when comparing our glass designs.

PRIVACY	1	2	3	4	5	6	7	8	9	10
Completely Clear Objects can be clearly seen through the glass from the opposite side.										
Diffused/Distorted Objects are distorted, but can still be detected from the opposite side.										
Completely Opaque Only light will travel through from the opposite side.										

Ovolo Woodbar Clear PRIVACY 1



Ovolo Full Lite



Quirk Full Lite




1501 & 8601 Glass Options

Global Sales has a great selection of glass design options that can be used in the ovolo or quirk bead open doors shown on the previous page. All designs come on safety glass.

Clear glass is available for situations where privacy isn't needed. Diffused white laminated glass is also available for when privacy is key but light transmission is still wanted. We also offer various printed glass designs that come in a range of other privacy levels.



Clear †
PRIVACY 1



Diffused White Lami †
PRIVACY 10



Pantry ‡
PRIVACY 7



Laundry ‡
PRIVACY 7



Patter ‡
PRIVACY 9



Steam ‡
PRIVACY 7



Corduroy ‡
PRIVACY 7

*7/0 doors may have larger top and bottom rail.

See chart on page 24-25 for availability

† Tempered Safety Glass
‡ Laminated Safety Glass
‡ Printed Safety Glass

See chart on page 24-25 for availability
GLOBAL SALES INTERIOR COLLECTION | 15

Shaker Glazed: Clear or Diffused White Laminate (DWL)

Global Sales also stocks these sharp shaker door designs with glass instead of solid panels.


These come in 6/8 & 8/0 heights at 1-3/8" thickness.



Clear Safety Glass
PRIVACY 1



DWL Safety Glass
PRIVACY 10



8401 DWL Glass Primed Shaker

See chart on page 25 for availability



3'6" x 7'0" Knotty Alder 8402BK
With Rustic Track.

Global Sales offers an attractive selection of rustic style barn doors in both standard and oversized widths. These come with a routed groove to complement our barn door track. Select yours today.

Knotty Alder: SKA8400 Series



SKA8401B



SKA8401BZ



SKA8402BK

Primed: PRI8400 Series



PRI8401B



PRI8401BZ



PRI8402BK

See chart on page 25 for availability

We offer several hardware options in matte black, satin nickel, and brushed stainless steel. There are two styles of barn door track: rustic and contemporary. Our rustic track comes with a bent strap hanger. Global Sales also offers a contemporary track with a top mount roller. Our hardware is tested to handle doors up to 225 pounds and comes in two sizes, 84" and 96". Select your track and pair it with the perfect handle and pull.

Rustic Track + Hardware



Matte Black



Brushed Stainless Steel

Contemporary Track + Hardware



Matte Black



Brushed Stainless Steel



3'6" x 7'0" Primed 8401BZ With Rustic Track.

Contemporary Bar Pulls



Available lengths 12" & 24"
in both Stain Nickel & Matte Black.
(Matches Stainless Steel Track)

6 1/2" Rectangular Flush Pulls



Matte Black



Brushed Stainless Steel

6 1/2" Rustic Handles



Matte Black



Brushed Stainless Steel

Soft Close Hardware



Matte Black



Brushed Stainless Steel

12" Handle & Flush Pull Kits



Matte Black




Brushed Stainless Steel

Other parts and accessories are stocked in both stainless steel & matte black finishes, talk to your rep for more details.

The task of choosing the right interior door is only complete once you've selected the right hardware and components to accompany it.

Global Sales is committed to providing you best-in-class products to hang, operate, and secure your interior door- all in styles and finishes to meet your specific design aesthetic.



Primed 8433 Shaker

4" x 4" 5/8" Radius Hinge Finishes



Satin Nickel
(Plain bearing only)



Black
(Ball bearing only)



Oil Rubbed Bronze
(Ball bearing only)

All 20-minute doors come with 2 spring hinges to match the finishes above.

Sill Options


QOSR

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket




QOSH

- High performance seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket



ISCS

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



ISW

- All-aluminum durability
- High performance inswing design
- Water-tight butyl end seal gasket



Sill Finishes



Mill Finish



Black Finish



Bronze Finish

Jamb



Primed Single Rabbet Jamb
(4-9/16", 5-1/4" 6-9/16", 7-1/4")

3-1/2" or 4" 5/8" Radius Hinge Finishes



Satin Nickel
(4x4 plain bearing only)

Black
(4x4 ball bearing only)

Oil Rubbed Bronze
(4x4 ball bearing only)

Satin Brass
(4x4 plain bearing only)

Flush Bolts
7" Flush Bolts (6/8, 7/0)



Satin Nickel
(Also available in black & oil rubbed bronze)

16" Flush Bolts (8/0)



Oil Rubbed Bronze
(Also available in satin nickel & black)

Ball Catch & Strike



Satin Nickel
(Also available in black & oil rubbed bronze)

Primed Finger Joint
Astragals & Jamb



Astragal
(Available for 1-3/8" or 1-3/4" doors)



Combo Jamb
For use with 1-3/8" or 1-3/4" door
(Available in 4-9/16" & 4-7/8" widths)

For additional jamb width options, Global Sales offers a Flat Jamb in 6-9/16" width which can be paired with our 1-1/4" Stop

Please contact your representative to confirm availability

LEGEND
• = QUICK SHIP • = QUICK SHIP 20 MIN FIRE RATED

Primed Panel Doors & Bi-Folds	Door Widths										Bi-Fold Widths (6/7 Height)		
	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
6/8 Height 1-3/8" Thick													
OV22	•	•	•	•	•	•	•	•	•	•	•	•	•
8401	•	•	•	•	•	•	•	•	•	•	•	•	•
8402	•	•	•	•	•	•	•	•	•	•	•	•	•
8403	•	•	•	•	•	•	•	•	•	•	•	•	•
8433	•	•	•	•	•	•	•	•	•	•	•	•	•
8444	•	•	•	•	•	•	•	•	•	•	•	•	•
8405	•	•	•	•	•	•	•	•	•	•	•	•	•
7/0 Height 1-3/8" Thick													
8401				•	•	•	•	•	•	•			
8402				•	•	•	•	•	•	•			
8403				•	•	•	•	•	•	•			
8433				•	•	•	•	•	•	•			
8405				•	•	•	•	•	•	•			
8/0 Height 1-3/8" Thick													
OV22	•			•	•	•	•	•	•	•	•	•	•
8401	•			•	•	•	•	•	•	•	•	•	•
8402	•			•	•	•	•	•	•	•	•	•	•
8403	•			•	•	•	•	•	•	•	•	•	•
8433	•			•	•	•	•	•	•	•	•	•	•
8444	•			•	•	•	•	•	•	•	•	•	•
8405	•			•	•	•	•	•	•	•	•	•	•
6/8 Height 1-3/4" Thick													
8401				•	•	•	••	••	••	••			
8402				•	•	•	••	••	••	••			
8403							•	•		•			
8433				•	•	•	••	••	•	••			
8444							•	•		•			
8405				•	•	•	••	••	•	••			
7/0 Height 1-3/4" Thick													
8401								•	•	•			
8402								•	•	•			
8403								•	•	•			
8433								•	•	•			
8405								•	•	•			

Please contact your representative to confirm availability

LEGEND
 • = QUICK SHIP • = QUICK SHIP 20 MIN FIRE RATED

Primed Panel Doors & Bi-Folds	Door Widths										Bi-Fold Widths (6/7 Height)		
	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8/0 Height 1-3/4" Thick													
8401				•	•	•	••	••	••	••			
8402				•	•	•	••	••	••	••			
8403							•	•	•	•			
8433				•	•	•	••	••	••	••			
8444							•	•		•			
8405				•	•	•	••	••	••	••			
Louver Doors & Bi-Folds	Door Widths										Bi-Fold Widths (6/7 Height)		
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730	•			•	•	•	•	•	•	•	•	•	•
7/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730				•		•	•	•	•	•			
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	2/0	2/6	3/0
8730	•			•	•	•	•	•		•	•	•	•
Woodbar Glazed Door Clear Glass	Door Widths (1300 Series)												
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0			
1310 10 Lite				•		•	•	•		•			
1315 15 Lite				•		•	•	•		•			
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0			
1312 12 Lite				•		•	•	•		•			
1318 18 Lite				•		•	•	•		•			
Full Lite Glazed Doors	Door Widths (1501 & 8601 Model)												
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0			
Clear	•			•	•	•	•	•	•	•			
Diffused White Laminate	•			•	•	•	•	•	•	•			
Pantry	•			•	•	•	•	•	•	•			
Laundry	•			•	•	•	•	•	•	•			
Patter	•			•	•	•	•	•	•	•			
Steam	•			•	•	•	•	•	•	•			
Corduroy	•			•	•	•	•	•	•	•			

Please contact your representative to confirm availability

LEGEND
 • = QUICK SHIP • = QUICK SHIP 20 MIN FIRE RATED

Full Lite Glazed Doors	Door Widths (1501 & 8601 Model)											
	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0		
7/0 Height 1-3/8" Thick												
Clear				•		•	•	•		•		
Diffused White Laminate				•		•	•	•		•		
Pantry				•		•	•	•		•		
Laundry				•		•	•	•		•		
Patter				•		•	•	•		•		
Steam				•		•	•	•		•		
Corduroy				•		•	•	•		•		
Full Lite Glazed Doors	Door Widths (1501 & 8601 Model)											
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0		
Clear				•		•	•	•		•		
Diffused White Laminate				•		•	•	•		•		
Pantry				•		•	•	•		•		
Laundry				•		•	•	•		•		
Patter				•		•	•	•		•		
Steam				•		•	•	•		•		
Corduroy				•		•	•	•		•		
Primed Direct Glazed Doors	Door Widths										Glass Type	
6/8 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	Clear	Diffused White
8401	•			•	•	•	•	•	•	•	•	•
8433	•			•		•	•	•	•	•	•	•
8405	•			•		•	•	•	•	•	•	•
8/0 Height 1-3/8" Thick	1/6	1/8	1/10	2/0	2/2	2/4	2/6	2/8	2/10	3/0	Clear	Diffused White
8401	•			•	•	•	•	•	•	•	•	•
8433	•			•		•	•	•	•	•	•	•
8405	•			•		•	•	•	•	•	•	•
Barn Doors	Door Widths				Barn Doors	Door Widths						
7/0-8/0 Height 1-3/8" Thick	3'0"x 7'0"	3'6"x 7'0"	4'0"x 7'0"	3'6"x 8'0"	7/0-8/0 Height 1-3/8" Thick	3'0"x 7'0"	3'6"x 7'0"	4'0"x 7'0"	3'6"x 8'0"			
SKA8401B Knotty Alder	•	•	•		PRI8401B Primed	•	•	•				
SKA8401BZ Knotty Alder	•	•	•	•	PRI8401BZ Primed	•	•	•	•			
SKA8402BK Knotty Alder	•	•	•		PRI8402BK Primed	•	•	•				



www.global-sales.us